


GLOBAL EAST ASIA TECHNOLOGY CO.,LTD

4G Patch antenna

GL-DY142



Web: <https://www.global-antenna.com> Email: info@global-antenna.com Tel: 86-371-58561629

Add: Room 816, Block B,BLDG 18, University Science Park(East), Zhengzhou City,P.R.Henan,China.

GLOBAL EAST ASIA TECHNOLOGY CO.,LTD

1 Electrical specifications

Frequency range (MHz)	698-960/1710-2690
Gain (dBi)	3
Polarization	Vertical
Impedance (Ω)	50
Max Power (W)	50
VSWR	≤ 2.0

2 Mechanical specifications

Connector	UFL
Dimensions(mm)	110x20x0.2
Cable	RG1.13/RG1.37
Temperature ($^{\circ}\text{C}$)	-40~85
Humidity (%)	5~95


Web: <https://www.global-antenna.com> Email: info@global-antenna.com Tel: 86-371-58561629

Add: Room 816, Block B,BLDG 18, University Science Park(East), Zhengzhou City,P.R.Henan,China.

GLOBAL EAST ASIA TECHNOLOGY CO.,LTD

V.S.W.R Testing

▶ **S11** SWR 1.000/ Ref 1.000





Web: <https://www.global-antenna.com> Email: info@global-antenna.com Tel: 86-371-58561629

Add: Room 816, Block B,BLDG 18, University Science Park(East), Zhengzhou City,P.R.Henan,China.

GLOBAL EAST ASIA TECHNOLOGY CO.,LTD

Radiation Pattern



Web: <https://www.global-antenna.com> Email: info@global-antenna.com Tel: 86-371-58561629

Add: Room 816, Block B,BLDG 18, University Science Park(East), Zhengzhou City,P.R.Henan,China.